



Report No. A2180226390101003 Page 1 of 7

Applicant MOORANGE ELECTRONICS MFG (SHANGHAI) CO., LTD

NO.335 HAISHEN, XINGXIN ROAD, HUINAN TOWN, PUDONG DISTRICT,

SHANGHAI 201301, CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name Weight Indicator

Type K9

Material 塑料 PC+PBT

Sample Receiving State Normal

Sample Received Date Nov. 20, 2018

Testing Period Nov. 20, 2018-Dec. 27, 2018

Test Requested

| No. | Test Item |
|-----|-----------|
| 1 | IPX9K |

Test Result(s): Please refer to the following pages.

Melei zho

Date

Dec. 27, 2018

Thao Yue Le Approved Signatory
Centre Test ternational Finbiao
Marghai) J. Ltd.

检验检测专用章

No.RB6A385767 109, Building 8, Zhangjiang Semiconductor Industrial Park, 3000Longdong Avenue, Pudong New District, Shanghai.



Report No. A2180226390101003

Page 2 of 7

Tested Sample(s)

| Sample No. | Sample Name | Туре | Material | Quantity |
|-------------------|------------------|------|--------------|----------|
| A2180226390101003 | Weight Indicator | К9 | 塑料 PC+PBT | 1pc |

Sample Photo(s)





A2180226390101003



Report No. A2180226390101003 Page 3 of 7

Test Item: IPX9K

1. Test Equipment

| Equipment Name | Model | |
|-------------------------|------------|--|
| Waterproof Test Chamber | AZRA1000B5 | |

2. Environmental Conditions

Temperature: $(18\sim28)$ °C; Humidity: $(25\sim75)$ % RH

3. Test Standard: As requested by client and refer to ISO 20653:2013

4. Test Condition

-a) The rotation speed of the turntable: (5 ± 1) r/min

-b) Water flow rate: 14~16 L/min

-c) Hydraulic pressure: 8000~10000 kPa

-d) Water temperature: (80 \pm 5) °C

-e) Nozzle: flat-fan nozzle 0 °, 30 °, 60 °, 90 °

-f) Distance from sample surface to nozzle: 100~150 mm

-g) Test duration: 30 s per position

5. Test Result(s)

| Sample No. | Test Result(s) | |
|-------------------|--|--|
| A2180226390101003 | No water was observed in the sample by visual inspection after test. | |
| | IPX9K test was passed. | |

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2180226390101003

Page 4 of 7

Test Photo(s)





Test set-up photos



Report No. A2180226390101003

Page 5 of 7

Sample Photo(s) after the test





A2180226390101003



Report No. A2180226390101003

Page 6 of 7





A2180226390101003

Remark: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

*** End of Report ***

Statement:

1. This report is considered invalidated without approval signature, special seal and the seal on the perforation;



Report No. A2180226390101003

Page 7 of 7

- 2. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5.In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

五八