

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



the year of 2011



HIWEIGH

CALIBRATION WEIGHTS

2

WWW.HIWEIGH.COM

About HIWEIGH

HIWEIGH, a manufacturer and exporter specialized in weighing products, she has devoted herself to the development and improvement of weighing technology and system for more than 10 years, who also take the swiftest result of the weighing process and the highest precision of weighing result as their target for every weighing solution they supply!

With this catalogue, you can find all solutions for calibration weights from M1 class to E1 class, and from 1mg capacity to 2000Kg capacity....






















Enjoy your weighing!

HIWEIGH

Address: No.2278, Zhaotai Road, Minhang District, Shanghai
Tel: 0086-21-24281404 Fax: 0086-21-24281385
Email: hiweigh@gmail.com hiweigh@hotmail.com
www.hiweigh.com

Contact Us

Symbols

-  Totalization/Accumulation
-  4-20mA Analogue Output
-  Tare Function
-  A.C/D.C Power Supply
-  Red LED Display
-  Green LED Display
-  LCD Display
-  Multi-units Exchange
-  Counting Function
-  Checkweigh Function
-  Below Weighing
-  Wash Down
-  Built-In Battery
-  RS-232 Interface
-  GLP/ISO Print Output
-  Clock
-  Percentage Weigh
-  Internal Calibration
-  External Calibration
-  Dynamic/Animal Weigh
-  Backlight

CONTENTS

E1 Classic S.S Weights 1

E2 Standard S.S Weights 2

F1 Standard S.S Weights 3

F2 Standard S.S Weights 4

M1 Standard S.S Weights 5

F2/M1 S.S Cast Weight 6

M1 Steel Weight 7

M1 Iron Cast Weight 8

Big S.S Weight 9

Big Iron Weight 10

Accessories 12

CALIBRATION WEIGHTS

SSE1

HIWEIGH 1mg...20Kg



MODEL No.	CAPACITY	TOLERANCE (+/- mg)
SSE1001	1mg	0.002
SSE1002	2mg	0.002
SSE1003	5mg	0.002
SSE1004	10mg	0.002
SSE1005	20mg	0.003
SSE1006	50mg	0.004
SSE1007	100mg	0.005
SSE1008	200mg	0.006
SSE1009	500mg	0.008
SSE1010	1g	0.01
SSE1011	2g	0.012
SSE1012	5g	0.015
SSE1013	10g	0.02
SSE1014	20g	0.025
SSE1015	50g	0.03
SSE1016	100g	0.05
SSE1017	200g	0.1
SSE1018	500g	0.25
SSE1019	1Kg	0.5
SSE1020	2Kg	1
SSE1021	5Kg	2.5
SSE1022	10Kg	5
SSE1023	20Kg	10
SSE1024	1mg-500g	
SSE1025	1mg-100g	
SSE1026	1mg-200g	
SSE1027	1mg-500g	
SSE1028	1mg-1Kg	
SSE1029	1mg-2Kg	
SSE1030	1Kg-5Kg	
SSE1031	1mg-10Kg	



HIWEIGH 1mg...20Kg



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
SSE2001	1mg	0.006
SSE2002	2mg	0.006
SSE2003	5mg	0.006
SSE2004	10mg	0.008
SSE2005	20mg	0.01
SSE2006	50mg	0.012
SSE2007	100mg	0.015
SSE2008	200mg	0.02
SSE2009	500mg	0.025
SSE2010	1g	0.03
SSE2011	2g	0.04
SSE2012	5g	0.05
SSE2013	10g	0.06
SSE2014	20g	0.08
SSE2015	50g	0.1
SSE2016	100g	0.15
SSE2017	200g	0.3
SSE2018	500g	0.75
SSE2019	1Kg	1.5
SSE2020	2Kg	3
SSE2021	5Kg	7.5
SSE2022	10Kg	15
SSE2023	20Kg	30
SSE2024	1mg-500mg	
SSE2025	1mg-100g	
SSE2026	1mg-200g	
SSE2027	1mg-500g	
SSE2028	1mg-1Kg	
SSE2029	1mg-2Kg	
SSE2030	1Kg-5Kg	
SSE2031	1mg-10Kg	



HIWEIGH 1mg...20Kg



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
SSF1001	1mg	0.02
SSF1002	2mg	0.02
SSF1003	5mg	0.02
SSF1004	10mg	0.025
SSF1005	20mg	0.03
SSF1006	50mg	0.04
SSF1007	100mg	0.05
SSF1008	200mg	0.06
SSF1009	500mg	0.08
SSF1010	1g	0.1
SSF1011	2g	0.12
SSF1012	5g	0.15
SSF1013	10g	0.2
SSF1014	20g	0.25
SSF1015	50g	0.3
SSF1016	100g	0.5
SSF1017	200g	1
SSF1018	500g	2.5
SSF1019	1Kg	5
SSF1020	2Kg	10
SSF1021	5Kg	25
SSF1022	10Kg	50
SSF1023	20Kg	100
SSF1024	1mg-500mg	
SSF1025	1mg-100g	
SSF1026	1mg-200g	
SSF1027	1mg-500g	
SSF1028	1mg-1Kg	
SSF1029	1mg-2Kg	
SSF1030	1Kg-5Kg	
SSF1031	1mg-10Kg	



HIWEIGH 1mg...20Kg



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
SSF2001	1mg	0.06
SSF2002	2mg	0.06
SSF2003	5mg	0.06
SSF2004	10mg	0.08
SSF2005	20mg	0.1
SSF2006	50mg	0.12
SSF2007	100mg	0.15
SSF2008	200mg	0.2
SSF2009	500mg	0.25
SSF2010	1g	0.3
SSF2011	2g	0.4
SSF2012	5g	0.5
SSF2013	10g	0.6
SSF2014	20g	0.8
SSF2015	50g	1
SSF2016	100g	1.5
SSF2017	200g	3
SSF2018	500g	7.5
SSF2019	1Kg	15
SSF2020	2Kg	30
SSF2021	5Kg	75
SSF2022	10Kg	150
SSF2023	20Kg	300
SSF2024	1mg-500mg	
SSF2025	1mg-100g	
SSF2026	1mg-200g	
SSF2027	1mg-500g	
SSF2028	1mg-1Kg	
SSF2029	1mg-2Kg	
SSF2030	1Kg-5Kg	
SSF2031	1mg-10Kg	



HIWEIGH 1mg...20Kg



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
SSM1001	1mg	0.2
SSM1002	2mg	0.2
SSM1003	5mg	0.2
SSM1004	10mg	0.25
SSM1005	20mg	0.3
SSM1006	50mg	0.4
SSM1007	100mg	0.5
SSM1008	200mg	0.6
SSM1009	500mg	0.8
SSM1010	1g	1
SSM1011	2g	1.2
SSM1012	5g	1.5
SSM1013	10g	2
SSM1014	20g	2.5
SSM1015	50g	3
SSM1016	100g	5
SSM1017	200g	10
SSM1018	500g	25
SSM1019	1Kg	50
SSM1020	2Kg	100
SSM1021	5Kg	250
SSM1022	10Kg	500
SSM1023	20Kg	1000
SSM1024	1mg-500mg	
SSM1025	1mg-100g	
SSM1026	1mg-200g	
SSM1027	1mg-500g	
SSM1028	1mg-1Kg	
SSM1029	1mg-2Kg	
SSM1030	1Kg-5Kg	
SSM1031	1mg-10Kg	



1mg



2mg



5mg



10mg



20mg



50mg



100mg




200mg



500mg

HIWEIGH 5...20Kg



Capacity	A	B	C
5Kg	150	65	80
10Kg	190	110	100
20Kg	230	140	110

MODEL No.	CAPACITY	TOLERANCE (+/-mg)
SCWM101	5Kg	250
SCWM102	10Kg	500
SCWM103	20Kg	1000
SCWF201	5Kg	75
SCWF202	10Kg	150
SCWF203	20Kg	300

- > 304# Stainless Steel Material
- > OIML M1/F2 Class
- > Aluminum Portable Box
- > Sanding or Polishing Surface Process
- > With Adjusting Cavity
- > Other Class Available

HIWEIGH

www.hiweigh.com
Tel:0086-21-24281404

Email: hiweigh@gmail.com hiweigh@hotmail.com
Fax:0086-21-24281385
Add: No.2278, Zhaotai Road, Minhang District,
Shanghai 201112, China

CALIBRATION WEIGHTS

STM

HIWEIGH 1g...1000Kg



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
STM 1010	1g	1
STM 1011	2g	1.2
STM 1012	5g	1.5
STM 1013	10g	2
STM 1014	20g	2.5
STM 1015	50g	3
STM 1016	100g	5
STM 1017	200g	10
STM 1018	500g	25
STM 1019	1Kg	50
STM 1020	2Kg	100
STM 1021	5Kg	250
STM 1022	10Kg	500
STM 1023	20Kg	1000
STM 1024	500Kg	25000
STM 1025	1000Kg	50000

- > Steel material
- > OIML M1 class
- > Chrome coated process
- > Till 1000Kg capacity
- > With Adjusting Cavity

HIWEIGH

www.hiweigh.com

Tel:0086-21-24281404

Add: No.2278, Zhaotai Road,

Email: hiweigh@gmail.com hiweigh@hotmail.com


Fax:0086-21-24281385

Shanghai 201112, China

HIWEIGH 5...20Kg



Specifications



MODEL No.	CAPACITY	TOLERANCE (+/-mg)
IWM101	5Kg	80
IWM102	10Kg	160
IWM103	20Kg	300

Capacity	A	B	C
5Kg	150	65	80
10Kg	190	110	100
20Kg	230	140	110

- > Iron Cast Material
- > OIML M1 Class
- > Polishing Surface Process
- > With Adjusting Cavity

HIWEIGH

www.hiweigh.com
Tel:0086-21-24281404

Email: hiweigh@gmail.com hiweigh@hotmail.com
Fax:0086-21-24281385
Add: No.2278, Zhaotai Road, Minhang District,
Shanghai 201112, China



Specifications


- ◆ Capacity: 500Kg/1000Kg
- ◆ Material: Stainless Steel
 - ◆ Class: OIML M1
 - ◆ Easy Lifting design
 - ◆ With Adjusting Cavity




MODEL	Cap. (kg)	Tolerance (g)
SSB500	500	25g
SSB1000	1000	50g

Specifications

- ◆ Capacity:500Kg/1000Kg
- ◆ Material: Iron Cast
- ◆ Class: OIML M1/M2
- ◆ Pile up design
- ◆ Crane lifting handle
- ◆ With Adjusting Cavity



Sizes




MODEL	Cap. (kg)	Tolerance (g)	l(mm)	w(mm)	h(mm)	a(mm)
IWB500	500	25g	560	560	255	110
IWB1000	1000	50g	560	560	485	110
IWB501	500	80g	560	560	255	110
IWB1001	1000	160g	560	560	485	110

Specifications

- ◆ Capacity: 100/200/500Kg/1000/2000Kg
- ◆ Material: Iron Cast
- ◆ Class: OIML M1
- ◆ Pile up design
- ◆ Crane lifting handle
- ◆ With Adjusting Cavity



Sizes




MODEL	Cap. (kg)	Tolerance (g)	l(mm)	w(mm)	h(mm)	a(mm)	b(mm)	c(mm)	d(mm)
IWM100	100	5g	340	225	280	80	120	-	190
IWM200	200	10g	465	340	291	80	190	-	255
IWM500	500	25g	750	500	315	120	300	100	600
IWM1000	1000	50g	750	500	500	120	300	100	600
IWM2000	2000	100g	1000	750	500	120	450	100	800

CALIBRATION WEIGHTS


Customized Made & Accessories



Customized



Accessories



www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
Tel:0086-21-24281404 Fax:0086-21-24281385
Add: No.2278, Zhaotai Road, Minhang District,
Shanghai 201112, China

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



HIWEIGH®
HIWEIGH

Thanks for reading our catalogue, for more products, please log on to
www.hiweigh.com

www.hiweigh.com hiweigh@gmail.com