

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



the year of 2012



MEDICAL&HEALTH SCALES

JoyScale®

HIWEIGH®



2012



WWW.HIWEIGH.COM

About HIWEIGH

HIWEIGH, a manufacturer and supplier specialized in weighing products, we have devoted ourself to the development and improvement of weighing technology and system for more than 10 years, who also take the swiftest result of the weighing process and the highest precision of weighing result as their target for every weighing solution they supply!

With this catalogue, you can find all solutions for scales for all medical use, from baby to old persons, for using at home or in hospital,

Enjoy your weighing!
























Address: No.2278,Zhaotai Road, Minhang District, Shanghai
Tel: 0086-21-24281404 Fax: 0086-21-24281385
Email: hiweigh@gmail.com hiweigh@hotmail.com
www.hiweigh.com

HIWEIGH®

Symbols

Contact Us

-  Totalization/Accumulation
-  4-20mA Analogue Output
-  Tare Function
-  A.C/D.C Power Supply
-  Red LED Display
-  Green LED Display
-  LCD Display
-  Multi-units Exchange
-  Counting Function
-  Checkweigh Function
-  Below Weighing

-  Wash Down
-  Built-In Battery
-  RS-232 Interface
-  GLP/ISO Print Output
-  Clock
-  Percentage Weigh
-  Internal Calibration
-  External Calibration
-  Dynamic/Animal Weigh
-  Backlight

Since 1998

Legal Notice

HIWEIGH[®]

is the registered brand logo by the owner of Hiweigh Technologies Limited and Shanghai Scales & Accessories factory, it's the main brand for their industrial and commercial scales and other weighing products, it insists of two weights instead of letter l in the HI + WEIGH which shows clearly what products we are making, for any inquiry or distribution of the HIWEIGH products, please send the mail to hiweigh@gmail.com or hiweigh@hotmail.com



JoyScale[®]

is another registered brand logo by the owner of Hiweigh Technologies Limited and Shanghai Scales & Accessories factory, it's the main brand for their medical and other small scales, it insists of JOY+SCALE which shows the enjoyment brings to customers with our scales, for any inquiry or distribution of the JOYSCALE products, please send the enquiry to hiweigh@gmail.com or hiweigh@hotmail.com

OEM
ODM

OEM/ODM cooperation is welcome.

For other brands used in our catalogues or website (www.hiweigh.com), such as Bluetooth (Brand, Logo, Picture) all belong to Bluetooth SIG, we believe that our supplier of our bluetooth device for our indicators and scales already got authorities from Bluetooth SIG as they are the legal company for this device in China, Acrobat Reader (Brand, Logo, Picture and all others) all belong to Adobe Systems Incorporated. For other concerning brand, if not specified marks, it belongs to the owner or the company who registered or owned it completely, if any info in our catalogue or website not correct or wrong, please send mail to hiweigh@gmail.com for modifying or deleting, thanks.



All copyrights of photos and pictures and other info in the website (www.hiweigh.com) and catalogues (this and all others) are belong to Hiweigh Technologies Limited and Shanghai Scales & Accessories Factory completely, if any copy or use of the photos or other info in the website or catalogue, it must got our authorities by sending the mail to hiweigh@gmail.com or hiweigh@hotmail.com or call us at 0086-21-24281404 or fax to 0086-21-24281385, any using or coping without our agree will bring the lawsuit possibility or other risks



For all other legal consultancy or question, please send the email to our lawyer: Mr.Zhu at zhch316@126.com or call at 0086-13962683621 with the office address at Rm601, Building C, No. 177, Middle Changjiang Road, Kushan, Jiangsu.

Since 1998

CONTENTS



HA HE HB HT

HA HE: Electronic Weight & Height Scale
HB HT: Mechanical Weight & Height Scale


1...4



HF HL

HF HL: Electronic Wheelchair Scale

5...6



FM FDXM

FM: Aluminum Platform for Wheelchair
FDXM: Steel Platform for Wheelchair

7...8



BMB BM BAB BAK

BMB BM: Mechanical Baby Scale
BAB BAK: Electronic Baby Scale

9...12



B1 B2 SPS

B1 B2: Wireless Electronic Health Scale
SPS: Electronic Spoon Scale

13...15

Weight & Height Scale

200Kg x 100g

HIWEIGH®

LCD KG LB BUILT-IN

HA



Specifications

- Max. weighing:** 200kg
- Weight division:** 100g
- Height range:** 70-190cm
- Height division:** 0.5cm
- Size of packing box:** 1000×320×260mm
- Load platform area (L×W):** 375×275mm
- Measurement (L×W×H):** 535×275×940mm
- Net weight:** 13kg
- Gross weight:** 15kg

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

HE



Indicator

- ◆ ABS Housing
- ◆ 30 hours of full charge battery operation
- ◆ Low battery indication and automatic power-off
 - ◆ Display: Red LED
 - ◆ Drive up to 8 load cells
- ◆ Programmable zero tracking
 - ◆ Programmable digital filter
 - ◆ Selectable kg and lb
 - ◆ RS232 serial interface
- ◆ Optional RS485 serial interface
 - ◆ Animal weighing
 - ◆ Hold function
 - ◆ Counting function

Platform

- ◆ 40x40cm platform
- ◆ 304# stainless steel pan
- ◆ Capacity: 0-150/200Kg
 - ◆ Division: 20/50g
- ◆ Other platform available
- ◆ OIML approved L6E load cell

Height Rod

- ◆ Measuring range: 60-200mm
 - ◆ Division: 1mm
- ◆ Material: Aluminum

HB

**Indicator**

- ◆Capacity: 120/150/160Kg
- ◆Division: 0.5Kg

Platform

- ◆375x275mm platform

Height Rod

- ◆Measuring range: 80-210mm
- ◆Division: 5mm

HT

**Indicator**

- ◆Capacity: 200Kg
- ◆Division: 0.1Kg

Platform

- ◆375x275mm platform

Height Rod

- ◆Measuring range: 75-200mm
- ◆Division: 5mm

WheelChair Scale

200Kg x 100g

T LCD KG LB BUILT-IN

HIWEIGH®



HF



Specifications

- Maximum Capacity: 200Kg
- Minimum Capacity: 2Kg
- Scale division: 100g
- Display: Digital
- Size of packing box: 770x500x1100mm
- Overall dimension: 870x560x1070mm
- Deadweight: 25kg
- Grossweight: 35kg

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

WheelChair Scale

200Kg x 50g

HIWEIGH®

T Σ LED KG LB PCS BUILT-IN RS-232

HL




Specifications

- Maximum Capacity: 200Kg
- Scale division: 50g
- Stainless steel X8 Indicator
- Healthy weight set with alarming if more or less
- With RS232 interface
- Height of seat: 550mm
- Seat size: 530x460mm
- Weight: 27kg

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

FM



Specifications

- Capacity: 500/1000Kg◆
- Platform Size: 0.8x0.8m◆
- Aluminum materia, 28Kg only◆
- Low profile design◆
- With wheels, easily movement◆
- 4 OIML/NTEP Approved H8C load cells◆
- S.S or ABS junction box◆
- Protection side◆
- Suitable for medical and hospital use◆

| MODEL | SIZE(mm) | LOAD CELL | CAPACITY (Kg) | DIVISION |
|--------|----------|-----------|---------------|---------------|
| FM8080 | 800x800 | H8C | 500-1000Kg | 1/3000-1/6000 |


WheelChair Platform

500...1000Kg

HIWEIGH®

T Σ LED KG LB PCS BUILT-IN RS-232

FDXM



Specifications

Capacity: 500/1000Kg x 10g/20g
 Platform Size: 0.8x0.8m
 With X1B indicator, big LED display
 With built-in battery and RS232 interface
 Low profile design
 With wheels, easily movement
 4 OIML/NTEP Approved H8C load cells
 S.S or ABS junction box
 Protection side
 Suitable for medical and hospital use

| MODEL | SIZE(mm) | LOAD CELL | CAPACITY (Kg) | DIVISION |
|----------|----------|-----------|---------------|---------------|
| FDXM8080 | 800x800 | H8C | 500-1000Kg | 1/3000-1/6000 |

HIWEIGH

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

BMB



Specifications

Max. weighing: 10kg
 Min. value per division: 0.05kg
 Size of packing box: 575x285x300mm
 Load platform area (LxW): 545x270mm
 Measurement (LxWxH): 545x290x330mm
 Net weight: 3.5kg
 Gross weight: 5kg

BM



Specifications

Max. weighing: 20kg
 Min. value per division: 0.05kg (0-10kg)
 0.1kg (10-20kg)
 Size of packing box: 580×325×190mm
 Load platform area (L×W): 545×270mm
 Measurement (L×W×H): 545×330×153mm
 Net weight: 3.5kg
 Gross weight: 5kg

JoyScale®

www.hiweigh.com
 Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

BAB



Specifications

- Capacity: 30Kg x 5g
- Accuracy: +-1%
- LCD display (7x2.7cm)
- Multi-units: Kg/Lb/Oz
- Fashion design
- Four keys: On/Off, Hold, Unit, Zero
- Auto zero, auto power off
- Weight locking, overloading alarming
- Multi-weighing operation (without tray)
- Packing size: 63 x 37 x 37.5cm (2pcs/CTN)
- Packing weight (G.W/N.W.): 10Kgs/9Kgs
- Dimensions: 56 x 31.5 x 13.5cm
- (Scale body size: 36x29.5x7.5cm)
- (Tray size: 56x28x9.3cm)



BAK



Specifications

- Max. weighing: 20kg
- Min. value per division: 5g
- Tare function
- Kg/lb Unit exchange
- Recall memory of previous weight
- Weighing pan can be apart for weighing on stand
- Automatically power off if 5 minutes no operation
- Overloading protection (max 23Kg)
- Measurement (L x W x H): 580 x 335 x 106mm
- Size of packing box: 625 x 395 x 410mm
- Net weight: 7.2kg
- Gross weight: 9.3kg

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

HIWEIGH®

B1



B1F

Specifications

- Max. weighing: 150Kg/330Lb
- Division: 100g/0.2lb
- Size: 33x33x3.0cm (B1 model)/30x27.3x3.0cm (B1F)
- Kg/lb Unit exchange
- Stainless steel scale body
- 7 weighing data memories for one user
- Four users memories
- 2xCR2032 batteries
- Display in scale and hand-handle wireless indicator
- Handle indicator can be mounted on the wall
- 2988pcs/20'container (B1)
- 3606pcs/20'container (B1F)

JoyScale®

www.hiweigh.com
 Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

B2



Specifications

Max. weighing: 150Kg/330Lb
 Division: 100g/0.2lb
 Kg/lb Unit exchange
 6in1 checking: weight/fat/water/muscle/calorie/bone
 wireless big LCD indicator for hand handle
 Indicator can be mounted on the wall
 Time, Calender and temperature display
 Wireless transfer space: 2m
 16 persons data memories
 Three working mode: Clock, Weight, Analysis
 N.W: 9.7Kg, G.W: 12Kg

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel:0086-21-24281404 Fax:0086-21-24281385
 Add: No.2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

15

Spoon

Healthy Scale

250g x 0.1g

LCD KG LB

HIWEIGH®

SPS



Specifications

Max. weighing: 250g
 Division: 0.1g
 Size: 25x4.2x1.7cm
 Unit: g/oz/ozt/dwt
 Tare and auto shut-off function
 Convenient calibration function
 Perfect for milk powder, sugar, salt, etc.

JoyScale®

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

15

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



HIWEIGH®
HIWEIGH

Thanks for reading our catalogue, for more products, please log on to
www.hiweigh.com

www.hiweigh.com hiweigh@gmail.com hiweigh@hotmail.com