

Scales & Balances  
Básculas & Balanzas  
Waagen  
Systèmes de Pesage

Bilancia Pesa  
Весы  
秤 & 天平  
はかり



the year of 2012



HIWEIGH

RETAIL SCALES



[WWW.HIWEIGH.COM](http://WWW.HIWEIGH.COM)

# About HIWEIGH

HIWEIGH, a manufacturer and supplier specialized in weighing products, she has devoted herself to the development and improvement of weighing technology and system for more than 10 years, who also take the swiftest result of the weighing process and the highest precision of weighing result as their target for every weighing solution they supply!

With this catalogue, you can find all solutions for your store, shop or super market, etc., from price computing scale to bar code label printing scale, from 1/3000 division to 1/30000 division...from 3Kg to 500Kg capacity
























Enjoy your weighing!

Address: No.2278,Zhaotai Road, Minhang District, Shanghai  
Tel: 0086-21-24281404 Fax: 0086-21-24281385  
Email: hiweigh@gmail.com hiweigh@hotmail.com  
[www.hiweigh.com](http://www.hiweigh.com)

Contact Us

## Symbols

-  Totalization/Accumulation
-  4-20mA Analogue Output
-  Tare Function
-  A.C/D.C Power Supply
-  Red LED Display
-  Green LED Display
-  LCD Display
-  Multi-units Exchange
-  Counting Function
-  Checkweigh Function
-  Below Weighing
-  Wash Down
-  Built-In Battery
-  RS-232 Interface
-  GLP/ISO Print Output
-  Clock
-  Percentage Weigh
-  Internal Calibration
-  External Calibration
-  Dynamic/Animal Weigh
-  Backlight

# CONTENTS

PRICE COMPUTING SCALE	PC6	PC5	1
PRICE COMPUTING SCALE	Pc2	Pc4	2
PRICE COMPUTING SCALE	Pc3	PC1	3
PRICE COMPUTING SCALE	PCX		4
PRINTING&CASH SCALE	LA	LAC	5
BAR CODE SCALE	LAB	LPT	6
BAR CODE SCALE	LPS	LPH	7
FOOD SCALE	WSS/WPS	WSB/WSZ	8




# PRICE COMPUTING SCALE



**PC6**


Model	Capacity (Kg)	Division	S.S Pan Size
PC63	3.0Kg	0.1/0.2/0.5/1.0g	305x210mm
PC66	6.0Kg	0.2/0.5/1.0/2.0g	305x210mm
PC615	15.0Kg	0.5/1.0/2.0/5.0g	305x210mm
PC630	30.0Kg	1.0/2.0/5.0/10.0g	305x210mm

- ◆ Display/Internal Resolution: 30,000 / 600,000
- ◆ Capacity: 3/6/15/30kg
- ◆ Single LCD display
- ◆ Function keys: Numeric 0~9, Qty, Units, Change, Plus, M+, MR, MC, CE, Tare, Zero, On, Off, PLU
- ◆ 20 direct piece weight memory keys (40 memories available)
- ◆ Stainless steel pan 305mm\*210mm



• Specifications •

1



• Specifications •

**PC5**

- ◆ Display/Internal Resolution: 30,000 / 600,000
- ◆ Capacity: 3/6/15/30kg
- ◆ Three display windows
- ◆ Function keys: Numeric 0~9, Qty, Units, Change, Plus, M+, MR, MC, CE, Tare, Zero, On, Off, PLU
- ◆ 10 direct piece weight memory keys (20 memories available)
- ◆ Stainless steel pan 305mm\*210mm



Model	Capacity (Kg)	Division	S.S Pan Size
PC53	3.0Kg	0.1/0.2/0.5/1.0g	305x210mm
PC56	6.0Kg	0.2/0.5/1.0/2.0g	305x210mm
PC515	15.0Kg	0.5/1.0/2.0/5.0g	305x210mm
PC530	30.0Kg	1.0/2.0/5.0/10.0g	305x210mm

# PRICE COMPUTING SCALE



Model	Capacity (Kg)	Division	S.S Pan Size
PC23	3.0Kg	0.2/0.5/1.0g	280x220mm
PC26	6.0Kg	0.5/1.0/2.0g	280x220mm
PC215	15.0Kg	1.0/2.0/5.0g	280x220mm
PC230	30.0Kg	2.0/5.0/10.0g	280x220mm



- ◆ High precision load cell, 3 division can be set.
- ◆ Double aluminum structure, with anti-overload device.
- ◆ Adjustable backlight, with battery status indicator.
- ◆ Unit price storage, accumulate, changing functions.
- ◆ Moisture-proof.
- ◆ 6.5cm x 36cm x 33cm / 15Kg / 4pcs

**PC2**

**2** Specifications:



**PC4**

- ◆ Big s.s Pan
- ◆ 8 direct Memories keys
- ◆ LCD display with backlight
- ◆ Accumulation, Tare functions
- ◆ Kg/Lb unit exchange
- ◆ 1/30000 division available



Model	Capacity (Kg)	Division	S.S Pan Size
PC43	3.0Kg	0.2/0.5/1.0g	310x265mm
PC46	6.0Kg	0.5/1.0/2.0g	310x265mm
PC415	15.0Kg	1.0/2.0/5.0g	310x265mm
PC430	30.0Kg	2.0/5.0/10.0g	310x265mm


# PRICE COMPUTING SCALE



Model	Capacity (Kg)	Division	S.S Pan Size
PC33	3.0Kg	0.2/0.5/1.0g	305x220mm
PC36	6.0Kg	0.5/1.0/2.0g	305x220mm
PC315	15.0Kg	1.0/2.0/5.0g	305x220mm
PC330	30.0Kg	2.0/5.0/10.0g	305x220mm


- ◆Capacity: 3-30Kg
- ◆Division: 1/3,000-1/15,000
- ◆Display: LCD (blue LCD backlight)
- ◆Red or White cover
- ◆7 unit price memories keyboard
- ◆Tare, Zero, M+
- ◆S.S Pan size: 305x220mm
- ◆Net Weight: 4.8Kg/G.W.: 5.7Kg

**PC3**



• Specifications •

3



• Specifications •

**PC1**



- ◆Stainless Steel Housing
- ◆Capacity: 3-30Kg
- ◆LCD Display with backlight
- ◆Tare/Zero
- ◆Kg/Lb unit exchange
- ◆Non-weighing items adding
- ◆6 memories keys
- ◆Big s.s pan size: 297x350mm

Launch on 2012

Model	Capacity (Kg)	Division	S.S Pan Size
PC13	3.0Kg	0.2/0.5/1.0g	320x270mm
PC16	6.0Kg	0.5/1.0/2.0g	320x270mm
PC115	15.0Kg	1.0/2.0/5.0g	320x270mm
PC130	30.0Kg	2.0/5.0/10.0g	320x270mm

# PRICE COMPUTING SCALE

PCX

T AC DC LCD KG LB BATTERY

• Specifications: •

4



- ◆Capacity: 30-500Kg
- ◆Display: LCD with backlight
- ◆28 unit price memories
- ◆Tare, Zero, M+
- ◆Built-in Battery
- ◆RS232 interface for PC or Printer
- ◆Printing store or shop name
- ◆5.5 cover
- ◆Rugged welded platforms with Powder coated painting
- ◆With protecting fence
- ◆Complete 5.5 platform available

MODEL	SIZE(mm)	INDICATOR	CAPACITY (Kg)	DIVISION
PCX345	350x450	X1PC	30/60/100/150Kg	1/3000-1/6000
PCX450	420x520	X1PC	60/100/150/200Kg	1/3000-1/6000
PCX560	520x620	X1PC	100/150/200/300Kg	1/3000-1/6000
PCX680	600x800	X1PC	100/200/300/500Kg	1/3000-1/6000


# PRINTING SCALE



Model	Capacity (Kg)	Division	S.S Pan Size
LA3	3.0Kg	1.0g	295x225mm
LA6	6.0Kg	2.0g	295x225mm
LA15	15.0Kg	5.0g	295x225mm
LA30	30.0Kg	10.0g	295x225mm


- ◆Capacity: 3-30Kg
- ◆Division: 1/3,000
- ◆Display: LED or LCD with backlight
- ◆Grey or White cover
- ◆10/15 unit price memories keyboard
- ◆Change, Tare, Zero, M+
- ◆Built-in printer
- ◆S.S Pan size: 295x225cm

LA



• Specifications •

5



• Specifications •

LAC

- ◆Capacity: 3-30Kg
- ◆Division: 1/3000
- ◆55 Memories
- ◆Change, Tare, Zero, M+
- ◆Built-in printer
- ◆S.S pan 290x210mm



Model	Capacity (Kg)	Division	S.S Pan Size
LAC3	3.0Kg	1.0g	290x210mm
LAC6	6.0Kg	2.0g	290x210mm
LAC15	15.0Kg	5.0g	290x210mm
LAC30	30.0Kg	10.0g	290x210mm

# BAR CODE SCALE


Model	Capacity (Kg)	Division	S.S Pan Size
LAB3	3.0Kg	1.0g	360x277mm
LAB6	6.0Kg	2.0g	360x277mm
LAB15	15.0Kg	5.0g	360x277mm
LAB30	30.0Kg	10.0g	360x277mm




**LAB**

- ◆Capacity:3Kg-1g 6Kg-2g 15Kg-5g, 30Kg-10g
- ◆Label and receipt printing
- ◆Label storage with Max4000 plu. 31 or 71 press keys available
- ◆Communication interface: RS232(standard) ethernet(option)
- ◆Easy to set the label-format and other details through the free software

**6 Specifications:**



**6 Specifications:**



- ◆Capacity:3Kg-1g 6Kg-2g 15Kg-5g, 30Kg-10g
- ◆Double division 6/15Kg-2/5g
- ◆Display Weight 5 digits, Unit price 6 digits, Amount 7 digits
- ◆Length of tag 25mm-200mm
- ◆Tag printing width 30mm-60mm
- ◆Printing speed 60mm/sec
- ◆Storage capacity 3000 pieces of PLU
- ◆Keyboard 70 keys (80 shortcut keys)

**LPT**



Model	Capacity (Kg)	Division	S.S Pan Size
LPT3	3.0Kg	1.0g	360x270mm
LPT6	6.0Kg	2.0g	360x270mm
LPT15	15.0Kg	5.0g	360x270mm
LPT30	30.0Kg	10.0g	360x270mm


# BAR CODE SCALE



**LPS**


Model	Capacity (Kg)	Division	S.S Pan Size
LPS3	3.0Kg	1.0g	360x270mm
LPS6	6.0Kg	2.0g	360x270mm
LPS15	15.0Kg	5.0g	360x270mm
LPS30	30.0Kg	10.0g	360x270mm

- ◆ Capacity: 3Kg-1g 6Kg-2g 15Kg-5g, 30Kg-10g
- ◆ Double division 6/15Kg-2/5g
- ◆ Display Weight-5 digits, U.P-6 digits, Total-7 digits
- ◆ Length of tag 25mm-200mm
- ◆ Tag printing width 30mm-60mm
- ◆ Printing speed 60mm/sec
- ◆ Storage capacity 3000 pieces of PLU
- ◆ Keyboard 126 keys (176 shortcut keys)



• Specifications •

7



• Specifications •

- ◆ Capacity: 3Kg-1g 6Kg-2g 15Kg-5g, 30Kg-10g
- ◆ Double division 6/15Kg-2/5g
- ◆ Display Weight-5 digits, U.P-6 digits, Total-7 digits
- ◆ Length of tag 25mm-200mm
- ◆ Tag printing width 30mm-60mm
- ◆ Printing speed 60mm/sec
- ◆ Storage capacity 3000 pieces of PLU
- ◆ Keyboard 126 keys (176 shortcut keys)

**LPH**



Model	Capacity (Kg)	Division	S.S Pan Size
LPH3	3.0Kg	1.0g	360x270mm
LPH6	6.0Kg	2.0g	360x270mm
LPH15	15.0Kg	5.0g	360x270mm
LPH30	30.0Kg	10.0g	360x270mm

# FOOD SCALE


Model	Capacity (Kg)	Division	S.S Pan Size
WSS	3/6/15/30Kg	1/3000-1/30000	230x190mm
WPS	3/6/15/30Kg	1/3000-1/30000	232x198mm




- ◆ IP68 waterproof grade
- ◆ High accuracy
- ◆ S.S housing for WSS and ABS housing for WPS
- ◆ Built-in battery
- ◆ Kg-lb unit exchange
- ◆ Tare/Zero
- ◆ HI/OK/LO function for WSS

• WSS/WPS •

8 • Specifications: •



8 • Specifications: •



• WSB/WSZ •

- ◆ Mounting to the wall
- ◆ S.S plate and s.s pole
- ◆ With hook on top
- ◆ L&T load cell
- ◆ Foldable design
- ◆ Weigh anywhere
- ◆ WSB with stainless steel structure
- ◆ WSZ with galvanized structure



Model	Capacity (Kg)	Division	S.S Pan Size
WSB	30-300Kg	1/3000-1/6000	600x420mm
WSZ	30-300Kg	1/3000-1/6000	600x420mm

Scales & Balances  
Básculas & Balanzas  
Waagen  
Systèmes de Pesage

Bilancia Pesa  
Весы  
秤 & 天平  
はかり



**HIWEIGH**  
HIWEIGH

Thanks for reading our catalogue, for more products, please log on to  
[www.hiweigh.com](http://www.hiweigh.com)

[www.hiweigh.com](http://www.hiweigh.com) [hiweigh@gmail.com](mailto:hiweigh@gmail.com)