

Floor Scale

ISO9001



Office Add.: Room 812, Building 3, Tiandu Tower, No. 211 Changjiang Road, Suzhou City, Jiangsu Province, China
Factory Add.: No. 2649, tianedang Road, Wuzhong District, 215103 Suzhou City, Jiangsu Province, China
+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

Floor Scale

Carbon steel or stainless steel, checked or smooth plate, four high-precision load cells, the maximum weighing can reach 5000kg. Easy to install and move, widely used in various industries.

- Models

FD		5
FL		7
FG		8
FRM		9
FDL		10
FDS		11
FDLS		13
FW		14

- Accessories 15


- Customer Assistance 16

SPECIFICATIONS

Material	Carbon steel
Capacity	1500/3000/5000 kg
Load Cell	M28/M28M
Load Cell Approval	CE/OIML/NTEP
Load Cell Protection	IP67
Platform Size	1000x1000mm 1200x1200mm 1500x1500mm 1500x2000mm 2000x2000mm

FEATURES

- Heavy duty structure with U beams
- Plastic powder coating for long-term use
- Capacity up to 1500/3000/5000 kg
- 4 IP67 alloy steel shear beam load cells
- 1500kg/3000kg with 5mm checked plate
- 5000kg with 6mm checked plate
- Black or Blue color , other colors available



DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FD1010	1000x1000x110	1030*1030*80	58	1
FD1212	1200x1200x110	1230*1230*80	81	1
FD1515	1500x1500x110	1530*1530*80	130	1
FD1520	1500x2000x110	1550*2050*80	180	1
FD2020	2000x2000x110	2050*2050*80	215	1

OPTIONAL

Accessories	Part No.
ISA	692001
RF	692002
PITF	692003



MODELS


Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FD1015	621101	1000x1000mm	1500kg	CE	IP67
FD1030	621102		3000kg		
FD1015M	621103		1500kg	OIML NTEP	
FD1030M	621104		3000kg		
FD1215	621105	1200x1200mm	1500kg	CE	
FD1230	621106		3000kg		
FD1215M	621107		1500kg	OIML NTEP	
FD1230M	621108		3000kg		
FD1515	621109	1500x1500mm	1500kg	CE	
FD1530	621110		3000kg		
FD1515M	621111		1500kg	OIML NTEP	
FD1530M	621112		3000kg		
FD2015	621113	1500x2000mm	1500kg	CE	
FD2030	621114		3000kg		
FD2015M	621115		1500kg	OIML NTEP	
FD2030M	621116		3000kg		
FD2230	621117	2000x2000mm	3000kg	CE	
FD2250	621118		5000kg		
FD2230M	621119		3000kg	OIML NTEP	
FD2250M	621120		5000kg		

SPECIFICATIONS

Material	Carbon steel
Capacity	1500/3000 kg
Load Cell	M28
Load Cell Approval	CE
Load Cell Protection	IP67
Platform Size	1000x1000mm 1200x1200mm 1200x1500mm 1500x2000mm

FEATURES

- Plastic powder coating for long-term use
- 4 IP67 alloy steel shear beam load cells
- Capacity up to 1500/3000kg
- With 4mm checked plate
- Black or Blue color , other colors available



MODELS

Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FL1015	621121	1000x1000mm	1500kg	CE	IP67
FL1030	621122		3000kg		
FL1215	621123	1200x1200mm	1500kg		
FL1230	621124		3000kg		
FL1251	621125	1200x1500mm	1500kg		
FL1253	621126		3000kg		
FL1515	621127	1500x1500mm	1500kg		
FL1530	621128		3000kg		

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FL1010	1000x1000x110	1030*1030*75	50	1
FL1212	1200x1200x110	1230*1230*75	70	1
FL1215	1200x1500x110	1230*1530*75	83.5	1
FL1515	1500x1500x110	1530*1530*75	102	1

OPTIONAL

Accessories	Part No.
ISA	692001
RF	692002
PITF	692003




SPECIFICATIONS

Material	Hot dip galvanized
Capacity	1500/3000 kg
Load Cell	M28/M28M
Load Cell Approval	CE/OIML/NTEP
Load Cell Protection	IP67
Platform Size	1200x1200mm 1500x1500mm

FEATURES

- Hot-dip galvanized process
- Capacity up to 1500/3000kg
- Rugged rectangular tube structure
- 4 IP67 alloy steel shear beam load cells
- With 4mm checked plate



MODELS

Model	Part No.	Size	Capcity	L.C. Cert	L.C.IP
FG1215	621129	1200x1200mm	1500kg	CE	IP67
FG1230	621130		3000kg		
FG1215M	621131		1500kg	OIML NTEP	
FG1230M	621132		3000kg		
FG1515	621133	1500x1500mm	1500kg	CE	
FG1530	621134		3000kg		
FG1515M	621135		1500kg	OIML NTEP	
FG1530M	621136		3000kg		

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FG1212	1200x1200x110	1230*1230*80	95	1
FG1515	1500x1500x110	1530*1530*80	150	1

OPTIONAL

Accessories	Part No.
ISA	692001
PITF	692003



SPECIFICATIONS


Material	Carbon steel
Capacity	100/200/500/1000kg
Load Cell	M28
Load Cell Approval	CE
Load Cell Protection	IP65/IP67
Platform Size	450x450mm 610x610mm 760x760mm 940x1015mm

FEATURES

- Hot-dip galvanized process
- Capacity up to 100/200/500/1000kg
- Checked plate with internal ramps
- 100/200/500kg: 4 IP67 aluminum load cells
- 1000kg: 4 IP67 alloy steel shear beam load cells
- With handles and casters for easy movement



FRM1000



MODELS

Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FRM100	621137	450x450mm	100kg	CE	IP65
FRM200	621138	610x610mm	200kg		
FRM500	621139	760x760mm	500kg		
FRM1000	621140	940x1015mm	1000kg		IP67

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FRM100	450x450x100	695*415*160	15	1
FRM200	610x610x100	795*515*160	22	1
FRM500	760x760x100	995*715*175	32	1
FRM1000	940x1015x100	1195*915*175	60	1

OPTIONAL

Accessories	Part No.
ISA	692001




SPECIFICATIONS

Material	Carbon steel
Capacity	1500/3000 kg
Load Cell	M28/M28M
Load Cell Approval	CE/OIML/NTEP
Load Cell Protection	IP67
Platform Size	1200x1200mm 1500x1500mm

FEATURES

- Low profile platform with 5mm checked plate
- Plastic powder coating for long-term use
- 300 mm double ramps
- Capacity up to 1500/3000kg
- Comes with handles for easy movement
- 4 IP67 alloy steel shear beam load cells



MODELS

Model	Part No.	Size	Capcity	L.C. Cert	L.C.IP
FDL1215	621141	1200x1200mm	1500kg	CE	IP67
FDL1230	621142		3000kg		
FDL1215M	621143		1500kg	OIML NTEP	
FDL1230M	621144		3000kg		
FDL1515	621145	1500x1500mm	1500kg	CE	
FDL1530	621146		3000kg		
FDL1515M	621147		1500kg	OIML NTEP	
FDL1530M	621148		3000kg		

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FDL1212	1200x1200x98	1220*1020*120	138	1
FDL1515	1500x1500x98	1720*1520*120	220	1

OPTIONAL

Accessories	Part No.
ISA	692001




SPECIFICATIONS

Material	SUS304 stainless steel
Capacity	1500/3000 kg
Load Cell	M28B/M28i/M28S
Load Cell Approval	CE/OIML/NTEP
Load Cell Protection	IP67
Platform Size	1000x1000mm 1200x1200mm 1500x1500mm

FEATURES

- Completely SUS304 S.S. material (Optional SUS316 S.S. material)
- With 4mm smooth plate (Optional 5/6 mm)
- Capacity up to 1500/3000 kg
- 4 IP67 stainless steel shear beam load cell
- Customized size available



DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FDS1010	1000x1000x110	1020*1020*100	70	1
FDS1212	1200x1200x110	1220*1220*100	88	1
FDS1515	1500x1500x110	1530*1530*100	120	1

OPTIONAL

Accessories	Part No.
ISB	692004
ISC	692005
RFS	692006



MODELS


Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FDS1015	621201	1000x1000mm	1500kg	CE	IP67
FDS1030	621202		3000kg		
FDS1015M	621203		1500kg	OIML NTEP	
FDS1030M	621204		3000kg		
FDS1215	621205	1200x1200mm	1500kg	CE	
FDS1230	621206		3000kg		
FDS1215M	621207		1500kg	OIML NTEP	
FDS1230M	621208		3000kg		
FDS1515	621209	1500x1500mm	1500kg	CE	
FDS1530	621210		3000kg		
FDS1515M	621211		1500kg	OIML NTEP	
FDS1530M	621212		3000kg		

SPECIFICATIONS

Material	SUS304 stainless steel
Capacity	1500/3000 kg
Load Cell	M28B/M28i/M28S
Load Cell Approval	CE/OIML/NTEP
Load Cell Protection	IP67
Platform Size	1200x1200mm 1500x1500mm

FEATURES

- Low profile SUS304 S.S. platform with 4mm smooth plate (Optional 5/6 mm smooth plate)
- 300 mm double ramps
- Capacity up to 1500/3000kg
- 4 IP67 stainless steel shear beam load cells



MODELS

Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FDLS1215	621213	1200x1200mm	1500kg	CE	IP67
FDLS1230	621214		3000kg		
FDLS1215M	621215		1500kg	OIML NTEP	
FDLS1230M	621216		3000kg		
FDLS1515	621217	1500x1500mm	1500kg	CE	
FDLS1530	621218		3000kg		
FDLS1515M	621219		1500kg	OIML NTEP	
FDLS1530M	621220		3000kg		

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FDLS1212	1200x1200x98	1220*1220*100	88	1
FDLS1515	1500x1500x98	1530*1530*100	120	1

OPTIONAL

Accessories	Part No.
ISB	692004
ISC	692005
RFS	692006



SPECIFICATIONS

Material	SUS304 stainless steel
Capacity	1500/3000 kg
Load Cell	M28D/M28S
Load Cell Approval	OIML/NTEP
Load Cell Protection	IP68
Platform Size	1000x1000mm 1200x1200mm 1500x1500mm



FEATURES

- Completely SUS304 S.S. material with 5mm smooth plate (Optional SUS316 S.S. material) (Optional 6mm smooth plate)
- Capacity up to 1500/3000kg
- 4 IP68 stainless steel shear beam load cells
- Two heavy duty stainless steel hydraulic bars



MODELS


Model	Part No.	Size	Capacity	L.C. Cert	L.C.IP
FW1015M	621221	1000x1000mm	1500kg	OIML NTEP	IP68
FW1030M	621222		3000kg		
FW1215M	621223	1200x1200mm	1500kg		
FW1230M	621224		3000kg		
FW1515M	621225	1500x1500mm	1500kg		
FW1530M	621226		3000kg		

DIMENSION / mm

Model	size	pack size	G.W/kg	1PC/CTN
FW1010	1000x1000x110	1050*1050*120	95	1
FW1212	1200x1200x110	1250*1250*120	115	1
FW1515	1500x1500x110	1550*1550*120	145	1

OPTIONAL

Accessories	Part No.
ISB	692004





ISA

- Steel base and S.S. pole stand (dia 38mm)



ISB

- S.S. base and S.S. pole stand (dia 38mm)




ISC

- S.S. base and S.S. pole stand (dia 38mm)




RF

- Pit frame for platforms



RFS

- Steel access ramp, 840mm, optional 1140mm



PITF

- S.S. access ramp, 840mm, optional 1140mm

Sales Management



Eileen - Europe & Middle East
LNG

+86-18916600623
 eileen@hiweigh.com

Technical Service



Kevin
LNG

+86-18020220824
 tech@hiweigh.com

Marketing Management



Rae - Asia & Oceania
LNG

+86-18106218321
 rae@hiweigh.com



Luna

+86-18115501380
 luna@hiweigh.com

Production Management




Mary - North America & Africa
LNG

+86-18051829623
 mary@hiweigh.com



Danny

+86-18118127735
 info@hiweigh.com



Wanda - Latin America
LNG

+86-18115501352
 es@hiweigh.com



Jerry

+86-13913484008
 info@hiweigh.com

VALUE EACH GRAM
HiWEIGH
Floor Scale



Floor Scale

Office Add.: Room 812, Building 3, Tiandu Tower, No. 211 Changjiang Road, Suzhou City, Jiangsu Province, China
Factory Add.: No. 2649, tianedang Road, Wuzhong District, 215103 Suzhou City, Jiangsu Province, China
+86-512-67317873 | www.hiweigh.com | info@hiweigh.com