

VALUE EACH GRAM  
**HiWEIGH**

# Test Weight

ISO9001

VALUE EACH GRAM

**[HiWEIGH** Test Weight



Office Add.: Room 812, Building 3, Tiandu Tower, No. 211 Changjiang Road, Suzhou City, Jiangsu Province, China  
Factory Add.: No. 2649, tianedang Road, Wuzhong District, 215103 Suzhou City, Jiangsu Province, China  
+86-512-67317873 | [www.hiweigh.com](http://www.hiweigh.com) | [info@hiweigh.com](mailto:info@hiweigh.com)

# Test Weight

*Professionally manufactured test weights can efficiently perform daily testing and calibration of various weighing instruments, ranging from 1mg to 2000kg, accuracy classes include M1, M2, F1, F2, and certificates are available.*

- **Models**

SSE2	.....	5
SSF1	.....	6
SSM1	.....	7
STM	.....	8
SCW	.....	9
IW	.....	10
IWS	.....	11
IWM	.....	12
IWF	.....	13

- **Accessories** ..... 14
- **Customer Assistance** ..... 15

## SPECIFICATIONS

Material: Stainless steel

Capacity: 1mg-20kg

Class: OIML E2

Density: 7.9g/cm<sup>3</sup>

Susceptibility: <0.005

Magnetization: ≤8μt



## FEATURES

- Weight set with aluminum box
- Optimal plastic or aluminum box for single weight

## MODELS

Model	Part No.	Capacity	Division
SSE2001	110121	1mg	OIML E2
SSE2002	110122	2mg	OIML E2
SSE2003	110123	5mg	OIML E2
SSE2004	110124	10mg	OIML E2
SSE2005	110125	20mg	OIML E2
SSE2006	110126	50mg	OIML E2
SSE2007	110127	100mg	OIML E2
SSE2008	110128	200mg	OIML E2
SSE2009	110129	500mg	OIML E2
SSE2010	110130	1g	OIML E2
SSE2011	110131	2g	OIML E2
SSE2012	110132	5g	OIML E2
SSE2013	110133	10g	OIML E2
SSE2014	110134	20g	OIML E2
SSE2015	110135	50g	OIML E2
SSE2016	110136	100g	OIML E2
SSE2017	110137	200g	OIML E2
SSE2018	110138	500g	OIML E2
SSE2019	110139	1kg	OIML E2
SSE2020	110140	2kg	OIML E2
SSE2021	110141	5kg	OIML E2
SSE2022	110142	10kg	OIML E2
SSE2023	110143	20kg	OIML E2
SSE2024	110144	1mg-500mg	OIML E2
SSE2025	110145	1mg-100g	OIML E2
SSE2026	110146	1mg-200g	OIML E2
SSE2027	110147	1mg-500g	OIML E2
SSE2028	110148	1mg-1kg	OIML E2
SSE2029	110149	1mg-2kg	OIML E2
SSE2030	110150	1mg-5kg	OIML E2
SSE2031	110151	1mg-5kg	OIML E2
SSE2032	110152	1mg-10kg	OIML E2

# SSE2

VALUE EACH GRAM  
**HIWEIGH**

+86-512-67317873 | [www.hiweigh.com](http://www.hiweigh.com) | [info@hiweigh.com](mailto:info@hiweigh.com)



# SSF1

VALUE EACH GRAM  
**HiWEIGH**

+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

## SPECIFICATIONS

Material: Stainless steel  
Capacity: 1mg-20kg  
Class: OIML F1  
Density: 7.9g/cm<sup>3</sup>  
Susceptibility: <0.05  
Magnetization: ≤25μt



## FEATURES

- Weight set with aluminum box
- Optimal plastic or aluminum box for single weight

## MODELS

Model	Part No.	Capacity	Division
SSF1001	110001	1mg	OIML F1
SSF1002	110002	2mg	OIML F1
SSF1003	110003	5mg	OIML F1
SSF1004	110004	10mg	OIML F1
SSF1005	110005	20mg	OIML F1
SSF1006	110006	50mg	OIML F1
SSF1007	110007	100mg	OIML F1
SSF1008	110008	200mg	OIML F1
SSF1009	110009	500mg	OIML F1
SSF1010	110010	1g	OIML F1
SSF1011	110011	2g	OIML F1
SSF1012	110012	5g	OIML F1
SSF1013	110013	10g	OIML F1
SSF1014	110014	20g	OIML F1
SSF1015	110015	50g	OIML F1
SSF1016	110016	100g	OIML F1
SSF1017	110017	200g	OIML F1
SSF1018	110018	500g	OIML F1
SSF1019	110019	1kg	OIML F1
SSF1020	110020	2kg	OIML F1
SSF1021	110021	5kg	OIML F1
SSF1022	110022	10kg	OIML F1
SSF1023	110023	20kg	OIML F1
SSF1024	110024	1mg-500mg	OIML F1
SSF1025	110025	1mg-100g	OIML F1
SSF1026	110026	1mg-200g	OIML F1
SSF1027	110027	1mg-500g	OIML F1
SSF1028	110028	1mg-1kg	OIML F1
SSF1029	110029	1mg-2kg	OIML F1
SSF1030	110030	1mg-5kg	OIML F1
SSF1031	110031	1mg-5kg	OIML F1
SSF1032	110032	1mg-10kg	OIML F1
SSF1033	110033	1mg-20kg	OIML F1

## SPECIFICATIONS

Material: Stainless steel  
Capacity: 1mg-20kg  
Class: OIML M1  
Density: 7.9g/cm<sup>3</sup>  
Susceptibility: <0.05  
Magnetization: ≤25μt



## FEATURES

- Weight set with aluminum box
- Optimal plastic or aluminum box for single weight

## MODELS

Model	Part No.	Capacity	Division
SSM1001	110034	1mg	OIML M1
SSM1002	110035	2mg	OIML M1
SSM1003	110036	5mg	OIML M1
SSM1004	110037	10mg	OIML M1
SSM1005	110038	20mg	OIML M1
SSM1006	110039	50mg	OIML M1
SSM1007	110040	100mg	OIML M1
SSM1008	110041	200mg	OIML M1
SSM1009	110042	500mg	OIML M1
SSM1010	110043	1g	OIML M1
SSM1011	110044	2g	OIML M1
SSM1012	110045	5g	OIML M1
SSM1013	110046	10g	OIML M1
SSM1014	110047	20g	OIML M1
SSM1015	110048	50g	OIML M1
SSM1016	110049	100g	OIML M1
SSM1017	110050	200g	OIML M1
SSM1018	110051	500g	OIML M1
SSM1019	110052	1kg	OIML M1
SSM1020	110053	2kg	OIML M1
SSM1021	110054	5kg	OIML M1
SSM1022	110055	10kg	OIML M1
SSM1023	110056	20kg	OIML M1
SSM1024	110057	1mg-500mg	OIML M1
SSM1025	110058	1mg-100g	OIML M1
SSM1026	110059	1mg-200g	OIML M1
SSM1027	110060	1mg-500g	OIML M1
SSM1028	110061	1mg-1kg	OIML M1
SSM1029	110062	1mg-2kg	OIML M1
SSM1030	110063	1mg-5kg	OIML M1
SSM1031	110064	1mg-5kg	OIML M1
SSM1032	110065	1mg-10kg	OIML M1
SSM1033	110066	1mg-20kg	OIML M1

SSM1  
HIWEIGH  
VALUE EACH GRAM

+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

# STM

VALUE EACH GRAM  
**HiWEIGH**

+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

## SPECIFICATIONS

Material: Chrome coated steel  
Capacity: 1g-10kg  
(Optional 50-1000kg heavy capacity)  
Class: OIML M1



## FEATURES


- Standard with bottom cavity  
(Optional top cavity)
- Weight set with aluminum box
- Optimal plastic or aluminum box for single weight



## MODELS

Model	Part No.	Capacity	Division
STM1010	110067	1g	OIML M1
STM1011	110068	2g	OIML M1
STM1012	110069	5g	OIML M1
STM1013	110070	10g	OIML M1
STM1014	110071	20g	OIML M1
STM1015	110072	50g	OIML M1
STM1016	110073	100g	OIML M1
STM1017	110074	200g	OIML M1
STM1018	110075	500g	OIML M1
STM1019	110076	1kg	OIML M1
STM1020	110077	2kg	OIML M1
STM1021	110078	5kg	OIML M1
STM1022	110079	10kg	OIML M1
STM1023	110080	20kg	OIML M1
STM1028	110081	1g-100g	OIML M1
STM1029	110082	1g-200g	OIML M1
STM1030	110083	1g-500g	OIML M1
STM1031	110084	1g-1kg	OIML M1
STM1032	110085	1g-2kg	OIML M1
STM1033	110086	1g-5kg	OIML M1
STM1034	110087	1g-5kg	OIML M1
STM1035	110088	1g-10kg	OIML M1

## DIMENSION / mm



Capacity	a	b	c
100kg	500	300	125
200kg	600	300	190
500kg	670	500	241
1000kg	944	540	295

## SPECIFICATIONS

Capacity: 5/10/20kg

Density: 7.9g/cm<sup>3</sup>

Susceptibility: <0.05

Magnetization: SCWF1 ≤ 25μt

SCWF2 ≤ 80μt

SCWM1 ≤ 250μt



## FEATURES

- Optimal aluminum box



SCW


VALUE EACH GRAM  
HIWEIGH

## MODELS

Model	Part No.	Capacity	Division
SCWF105	110089	5kg	OIML F1
SCWF110	110090	10kg	OIML F1
SCWF120	110091	20kg	OIML F1
SCWF205	110092	5kg	OIML F2
SCWF210	110093	10kg	OIML F2
SCWF220	110094	20kg	OIML F2
SCWM105	110095	5kg	OIML M1
SCWM110	110096	10kg	OIML M1
SCWM120	110097	20kg	OIML M1

## DIMENSION / mm

Capacity	a	b	c
5kg	148	75	84
10kg	192	95	106
20kg	228	115	135



+86-512-67317873 | [www.hiweigh.com](http://www.hiweigh.com) | [info@hiweigh.com](mailto:info@hiweigh.com)

IW

VALUE EACH GRAM  
HIWEIGH

## SPECIFICATIONS

Material: Cast iron

Capacity: 1-20kg

Class: OIML M1 standard Shape

## FEATURES

- High quality finish  
(Mainly to the EU market)
- Black or customized color
- Optional 500kg crate




## MODELS

Model	Part No.	Capacity	Division
IW101	110098	1kg	OIML M1
IW102	110099	2kg	OIML M1
IW105	110100	5kg	OIML M1
IW110	110101	10kg	OIML M1
IW120	110102	20kg	OIML M1

## DIMENSION / mm

Capacity	a	b	c
1kg	79	55	47
2kg	100	68	58
5kg	150	78	87
10kg	192	100	110
20kg	232	118	140



+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

## SPECIFICATIONS

Material: Cast steel

Capacity: 5-20kg

Class: OIML M1 standard Shape

## FEATURES

- Top quality in the world  
(Mainly for Top brands)
- Black or customized color
- Optional 500kg crate



IWS


HIWEIGH  
VALUE EACH GRAM

## MODELS

Model	Part No.	Capacity	Division
IWS05	110103	5kg	OIML M1
IWS10	110104	10kg	OIML M1
IWS15	110105	20kg	OIML M1

## DIMENSION / mm

Capacity	a	b	c
5kg	148	75	84
10kg	192	95	106
20kg	228	115	135



+86-512-67317873 | www.hiweigh.com | info@hiweigh.com

IWM

VALUE EACH GRAM  
HiWEIGH

## SPECIFICATIONS

Material: Cast iron

Capacity: 100-2000kg

Class: OIML M1-2


## FEATURES

- Smart design with handle and feet  
(Easy to lift and move)
- Optional ISO17025 certificate



## MODELS

Model	Part No.	Capacity	Division
IWM100	110111	100kg	OIML M1-2
IWM200	110112	200kg	OIML M1-2
IWM500	110113	500kg	OIML M1-2
IWM1000	110114	1000kg	OIML M1-2
IWM2000	110115	2000kg	OIML M1-2



## DIMENSION / mm

Capacity	a	b	c
100kg	280	225	340
200kg	315	340	465
500kg	315	500	750
1000kg	500	500	750
2000kg	500	750	1000

## SPECIFICATIONS

Capacity: 100-2000kg

Class: OIML M1-2

## FEATURES

- high quality finished steel block
- Optional ISO17025 certificate



IWF


HIWEIGH  
VALUE EACH GRAM

## MODELS

Model	Part No.	Capacity	Division
IWF100	110116	100kg	OIML M1-2
IWF200	110117	200kg	OIML M1-2
IWF500	110118	500kg	OIML M1-2
IWF1000	110119	1000kg	OIML M1-2
IWF2000	110120	2000kg	OIML M1-2

## DIMENSION / mm

Capacity	a	b	c
100kg	400	218	210
200kg	500	287	250
500kg	820	408	250
1000kg	860	513	350
2000kg	1000	650	450




+86-512-67317873 | www.hiweigh.com | info@hiweigh.com



TWR non-magnetic tweezers

Part No. 119028



HAD weight handles

Part No. 119031



BRS brush

Part No. 119026



DWP dust wiper

Part No. 119025



TBOX tool set box

Part No. 119027



GLV dust-free gloves

Part No. 119035



DFC dust-free wiping cloth

Part No. 119024

## Sales Management



Eileen - Europe & Middle East

LNG

+86-18916600623

eileen@hiweigh.com

## Technical Service



Kevin

LNG

+86-18020220824

tech@hiweigh.com

## Marketing Management



Rae - Asia & Oceania

LNG

+86-18106218321

rae@hiweigh.com



Luna

+86-18115501380

luna@hiweigh.com

## Production Management



Mary - North America & Africa

LNG

+86-18051829623


mary@hiweigh.com



Danny

+86-18118127735

info@hiweigh.com



Wanda - Latin America

LNG

+86-18115501352

es@hiweigh.com



Jerry

+86-13913484008

info@hiweigh.com

VALUE EACH GRAM  
**HiWEIGH**  
*Test Weight*



VALUE EACH GRAM  
**HiWEIGH**

# Test Weight

Office Add.: Room 812, Building 3, Tiandu Tower, No. 211 Changjiang Road, Suzhou City, Jiangsu Province, China  
Factory Add.: No. 2649, tianedang Road, Wuzhong District, 215103 Suzhou City, Jiangsu Province, China  
+86-512-67317873 | [www.hiweigh.com](http://www.hiweigh.com) | [info@hiweigh.com](mailto:info@hiweigh.com)